

SKY C75




KHIND

KHIND Sky C75 HVLS fan is an energy-efficiency fan that's perfect for destratification and cooling large spaces. It consumes just 400 watts of power at the top speed, which makes it the world's most energy efficient fan and ensures you'll receive a return on your investment very quickly after purchasing one.

KHIND Sky C75 HVLS fan is designed to help users with large spaces equalize their temperature in the winter and deliver a cooling, gentle airflow in the summer. It works best in building with ceiling height from 5 to 10 metre and comes in a range from 4.8 to 7.3 metre to suit your needs.

FEATURES

- ▶ 5 anodized aluminium blades
- ▶ Quick and easy installation
- ▶ Energy-efficient operation
- ▶ Network for up to 20 fans
- ▶ 7 speed settings
- ▶ Forward 0-100% speed
- ▶ Safety cable, 5 blade retainer links for extreme safety
- ▶ Available in custom-painted colors
- ▶ Conforms to CE, EN, and IEC standards
- ▶ Wireless remote and IOT available
- ▶ Multiple redundancies in all critical components, including blades, motors, electronics, and mount



General Specifications

Voltage	208VAC - 240VAC Single Phase, 50Hz / 60Hz
Sound @ Max Speed	<50 dBA
IP Rating	IPX5 Indoor/Outdoor
Temperature Rating	-10° C / +50° C
Certifications	CE, CB for local IEC Certification
Controller	Forward Direction 0-100%
Mounting	Fully Adjustable

Mount to Blades Height

1m Standard

Warranty

3 Years on all Parts - Extended Warranty Optional

Models/ Performance	Diameter	Number of Blades	Weight	Max Rotation Speed	Max Airflow (AMCA 230-15)	Max Airflow (AMCA 230-99)	Power Usage (Top speed)	Price (\$)
SKY C75 (16 ft)	4.8 m	5	100 kg	78 rpm	238,844 m³/h	337,725 m³/h	413 W	Request for Quotation
SKY C75 (18 ft)	5.4 m	5	104 kg	69 rpm	285,877 m³/h	404,230 m³/h	490 W	
SKY C75 (20 ft)	6.0 m	5	108 kg	53 rpm	347,488 m³/h	491,348 m³/h	460 W	
SKY C75 (24 ft)	7.2 m	5	116 kg	48 rpm	498,277 m³/h	705,977 m³/h	700 W	


Motor Technology:
Direct drive technology

Benefits:
No oil
No seals to leak
Only 2 moving parts
Low noise
Low energy consumption
Low weight

Radial Flux Machine Motor Type

Benefits:
Cost effective
Scalable torque
Low energy losses

USES



*Data provided by factory. Max Airflow has been measured in accordance with AMCA test standards 230-15 and 230-99. Specifications subject to changes without prior notice.

Marketed by:
Khind Systems (Singapore) Pte Ltd
No. 5 Penjuru Close #03-00 Singapore 608600
Tel (65) 6862 3777 | Fax (65) 6862 8628 | Email: kssg.sales@khind.com

KHIND

www.Khind-Systems.com